


FDD 性能表

FDD #1³/₄

箱型雙出口式


- CLASS I
- CLASS II



FDD #2

箱型雙出口式


- CLASS I
- CLASS II



FDD #2¹/₂

箱型雙出口式


- CLASS I
- CLASS II



FDD 性能表


FDD #3
箱型雙出口式

CLASS I
CLASS II




FDD #3^{1/2}
箱型雙出口式

CLASS I
CLASS II




FDD #4
箱型雙出口式

CLASS I
CLASS II




FDD 性能表


FDD # 4^{1/2}
箱型雙出口式




FDD # 5
箱型雙出口式



FDD # 5^{1/2}
箱型雙出口式



FDD 尺寸表 (箱型雙組式)



單位：mm

符號 型式	A	B	C	D	E	F	G	H	I	J	L	重量 kg
FDD-1 3/4#	300	350	280	300	1510	720	800	630	1600	14	1700	100
FDD-2#	300	420	340	400	1610	910	990	670	1800	14	1900	140
FDD-2 1/2#	300	480	400	500	1710	1010	1090	760	1900	17	2000	190
FDD-3#	300	560	480	480	2100	1110	1190	870	2300	17	2400	270
FDD-3 1/2#	400	650	600	600	2200	1295	1400	1060	2400	17	2500	370
FDD-4#	500	740	640	640	2400	1395	1500	1220	2700	17	2800	520
FDD-4 1/2#	500	840	740	740	2600	1585	1690	1330	2900	17	3000	740
FDD-5#	500	900	800	800	2900	1695	1800	1580	3200	17	3300	1040

*尺寸如有變動時不另行通知
 *表列重量為不含馬達之重量
 *G值依馬力不同而增加